Dkt: 279.347US2

Serial Number: 10/687,433 Filing Date: October 16, 2003

SYSTEM AND METHOD FOR CORRELATION OF PATIENT HEALTH INFORMATION AND IMPLANT DEVICE DATA

## IN THE CLAIMS

Please amend the claims as follows:

1. (Previously Presented) A cardiac rhythm management system comprising:
an implantable cardiac rhythm management (CRM) device, wherein the CRM device includes:

a communication network interface; and

a plurality of sensors to collect data;

a communication network; and

a data correlation unit, wherein the data correlation unit includes:

a communication network interface;

a processor coupled to the communication interface;

a memory storing a plurality of data sets; and

an output unit for displaying data, wherein the processor correlates at least a first data set and a second data set and sends the correlated data sets to the output unit for simultaneous display by the output unit, and wherein at least one of the data sets is collected asynchronously.

- 2. (Original) The system of claim 1, wherein the first data set is periodically collected and the second data set is synchronously collected.
- 3. (Original) The system of claim 1, wherein the first data set includes data entered asynchronously and the second data set is synchronously collected by the CRM device.
- 4. (Original) The system of claim 3, wherein the first data set is collected asynchronously by the CRM device.

Title: SYSTEM AND METHOD FOR CORRELATION OF PATIENT HEALTH INFORMATION AND IMPLANT DEVICE DATA

Page 3 Dkt: 279.347US2

5. (Original) The system of claim 1, wherein the communication network is a global computer network.

- 6. (Original) The system of claim 5, wherein the processor receives the correlated data over the global computer network.
- 7. (Original) The system of claim 5, wherein the memory includes at least one patient database accessible by the global computer network.
- 8. (Original) The system of claim 1, wherein the communication network is a telephone system.
- 9. (Currently Amended) A system for displaying cardiac data from a cardiac rhythm management device comprising:
- a memory containing a plurality of data sets including at least a first data set distinct from a second data set, the second data set including conditions of a cardiac rhythm management device under which the second data set was acquired;
- a processor connected to the memory, wherein the processor includes one or a combination of hardware and software to correlate the first data set and the second data set; and an output unit connected to said processor, the output unit receiving the correlated first and second data sets from the processor, the first set, second data set and conditions being simultaneously displayed on said output unit.
- 10. (Original) The system of claim 9, wherein the first data set is periodically collected and the second data set is synchronously collected.
- 11. (Original) The system of claim 10, wherein the first data set includes drug therapy, and the second data set includes shock therapy.

12. (Original) The system of claim 9, wherein the conditions include one or a combination of

types of programmable parameter settings, values of the parameter settings, time of settings, and

Dkt: 279.347US2

percentage of time a setting is used.

13. (Original) The system of claim 12, wherein the conditions are displayed adjacent to a graph

of the first and second correlated data sets.

14. (Original) The system of claim 9, wherein the display uses hatching to represent a change in

the first data occurring after an event occurring in the second data.

15. (Original) The system of claim 9, wherein the display uses a change in color to represent a

change in the first data occurring after an event occurring in the second data.

16. (Previously Presented) A method comprising:

collecting a plurality of data sets with an implantable cardiac rhythm management (CRM)

device;

correlating at least first and second collected data sets, the first data set distinct from the

second data set, wherein at least one of the data sets is collected asynchronously;

transmitting data over a communication network to a correlation data unit;

displaying correlated data sets simultaneously on the correlation data unit.

17. (Original) The method of claim 16, wherein transmitting data over a communication

network includes transmitting data over a global computer network.

18. (Original) The method of claim 16, wherein transmitting data over a communication

network includes transmitting data over a telephone system.

19. (Original) The method of claim 16, wherein correlating includes correlating the data in the

CRM.

AMENDMENT AND RESPONSE UNDER 37 CFR § 1.116 – EXPEDITED PROCEDURE

Dkt: 279.347US2

Serial Number: 10/687,433

Filing Date: October 16, 2003

Title: SYSTEM AND METHOD FOR CORRELATION OF PATIENT HEALTH INFORMATION AND IMPLANT DEVICE DATA

20. (Original) The method of claim 16, wherein collecting a plurality of data sets includes one or a combination of collecting data periodically, asynchronously, or synchronously.